# **WEST Search History**

Restore Clear Cancel Hide Items

DATE: Sunday, June 12, 2005

Hide?	Set Name	<u>Query</u>	Hit Count
DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = OR			
	· L30	L28 and "prevent transmission"	0
	L29	L28 same "prevent transmission"	0
	L28	"flooding attack" same "time interval"	14
	L27	"flooding attack" near "predetermined time interval"	0
	L26	"flooding attack" and "predetermined time interval"	3
	L25	"flooding attack" same "predetermined time interval"	. 0
	L24	"flooding attack" with "predetermined time interval"	0
	L23	"flooding attack" with "predetermined timing interval"	0
	L22	L21 and "predetermined time interval"	2
	L21	L15 and "flooding attack"	39
	L20	L19 and L18	1
	L19	L16 and L17	1
	L18	at&t.asn.	8622
	L17	tewani.in. and kamlesh.in.	16
	L16	halasz.in. and sylvia.in.	1
	L15	713/201 ccls.	3682
	L14	713/200.ccls.	3060
	L13	709/229.ccls.	2389
	L12	709/227.ccls.	2564
	L11	709/224.ccls.	3952
	L10	709/225.ccls.	<u>,</u> 1815
DB=USPT; $PLUR=YES$ ; $OP=OR$			
	L9	L2 and "first connection"	l
	L8	L7 and (signal)	1
	L7	L6 and (address)	5
	L6	L5 and (den\$5)	5
	L5	L4 and "time interval"	5
	L4	L2 and "connection"	17
	L3	L2 and "data connection"	0
	L2	"flooding attack"	18
	L1	"flooding attack" same "host device"	0

Google

Web Images Groups News Froogle Local more »

flooding attack, time interval, synchronization,

Search

Advanced Search Preferences

Web Results 1 - 10 of about 17,800 for flooding attack, time interval, synchronization, signal, IP address. (

### Keeping Time on Windows Machines

It's important that the time on machines are closely synchronized, ... Note that Windows 2000 only recognizes the first DNS or IP address in the "ntp server ... www.wilsonmar.com/1clocks.htm - 49k - Cached - Similar pages

## [PDF] Anomaly detection in IP networks - Signal Processing, IEEE ...

File Format: PDF/Adobe Acrobat - View as HTML

flooding attacks. SYN flooding attacks capitalize ... network measurements, IP QoS, time series analysis,. and signal detection theory. ...

www.eecs.umich.edu/~zmao/ eecs589/papers/AnomalyDetection.pdf - <u>Similar pages</u>

## Solaris - Tuning Your TCP/IP Stack

This value is interesting considering SYN flood attacks on your server. ... Each IP address is assumed to be a logical interface. ... www.sean.de/Solaris/soltune.html - 101k - Jun 11, 2005 - Cached - Similar pages

## [PDF] Distinguishing between single and multi-source attacks using ...

File Format: PDF/Adobe Acrobat - View as HTML

the complete IP address space. Many attack tools, use reflection techniques, subnet spoofing, or do ... tight time synchronization between attacking hosts ...

www.isi.edu/~hussain/pubs/Hussain04b.pdf - Similar pages

#### [PDF] Distributed Denial of Service

File Format: PDF/Adobe Acrobat

the specified IP addresses for a period of time (default is 120 seconds, or 1 - 1999

... All of the attacks utilize spoofing of IP addresses. ...

www.ciac.org/ciac/documents/ CIAC-2319 Distributed Denial\_of\_Service.pdf - Similar pages

## [PDF] COPING WITH OVERLOAD ON THE NETWORK TIME PROTOCOL PUBLIC SERVERS

File Format: PDF/Adobe Acrobat - View as HTML

Annual Precise Time and Time Interval (PTTI) Meeting. 12. destination IP address

and use a load-sharing scheme similar to USNO and NIST to distribute ...

tycho.usno.navy.mil/ptti/ptti2004/paper2.pdf - Jun 11, 2005 - Similar pages

#### [DOC] DDOS Attacks

File Format: Microsoft Word 2000 - View as HTML

The following attack parameters are controllable: victims IP addresses, ...

The timeStamp is needed for calculations of time intervals between several ...

www-comnet.technion.ac.il/~cn1w03/ docs/DDoS\_MidSubmission2\_final2.doc - Similar pages

#### [PDF] 15-441 Spring 2004 - Final Name:

Andrew ID ...

File Format: PDF/Adobe Acrobat - View as HTML

the host name corresponding to the destination IP address for the packet ...

a) A SYN flood attack with randomly spoofed source addresses against 23.45.6.7 ...

www-2.cs.cmu.edu/~srini/ 15-441/S05/exams/2004sp\_final.pdf - Similar pages

#### [PDF] Perimeter-Based Defense against High Bandwidth DDoS Attacks

File Format: PDF/Adobe Acrobat - View as HTML


perimeter-based IP traceback, it can determine the addresses of the edge routers

... Under the attack, the victim signals router A to initiate the defense. ... www.cise.ufl.edu/~sgchen/papers/TPDS2005.pdf - Similar pages

[PDF] Collaborative Defense against Periodic Shrew DDoS Attacks in ... File Format: PDF/Adobe Acrobat - View as HTML constant time interval, which in our case is 1 ms. ... Although the source IP addresses are. generally spoofed in attack packets, it is safe to use the ... gridsec.usc.edu/files/TR/ ACMTISSEC-LowRateAttack-May3-05.pdf - Similar pages

C0000000008 (€ ► Result Page: 1 2 3 4 5 6 7 8 9 10 Next

Free! Get the Google Toolbar. Download Now - About Toolbar



flooding attack, time interval, synchri Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google